

EVERVIEW PLUS




EXTERNAL SUNSCREENS

Contemporary Drop Awnings

COLOUR RANGE

5% Openness



White



Yalumba




Chardonnay



Fungi




Thundercloud



Coffee




Silver Pearl



Silver Pearl/Misty Grey



Misty Grey



Mombasa/Misty Grey



Gravel




Schist



Mombasa


1% Openness



White



Yalumba



Mombasa/Misty Grey



Schist




Mombasa

4 New Colours in 5% Openness


Inspired by Colorbond® & Dulux®



Sand



Caramel



Mood Mocha



Sorrento

Note: Colours are as accurate as the printing process allows

EVERVIEW PLUS

Everview Plus external fabric range combines a 2 x 2 basket weave construction which provides great strength and stability even when the fabric is rail-coated (turned sideways). With an on-trend contemporary colour palette of darks, greys and neutrals, you can find a fabric colour to suit almost any exterior décor.

Everview Plus external fabric range allows for different levels of privacy by offering two different openness options. For complete privacy the 1% openness option is available in 5 colours. For daytime privacy without compromising view the 5% openness option is available in 17 colours.

The Everview Plus range suits a wide variety of exterior trends and privacy needs.

Everview Plus Features & Benefits

Opacity:

5 colours in 1% openness and 17 colours in 5% openness.

UV Resistant

All colours meet Australian standards for colour fastness to resist fading. 7-8 Blue Scale (AS2001.4.21)



Healthy Environment

Everview Plus external fabrics has been tested and is Greenguard® Gold certified to meet strict certification criteria for low Volatile Organic Compound (VOC) emissions and is acceptable for use in environments such as schools and healthcare facilities (IEQ-11).

Everview Plus Technical Specifications

Composition

1% Green PVC 73% and Polyester 27%
5% Green PVC 73% and Polyester 27%

Fabric Weight

1% 608g/m² ± 5%
5% 557g/m² ± 5%

Fabric Thickness

1% 0.84mm ± 5%
5% 0.73mm ± 5%

Breaking Strength

1% Warp 290, Weft 197 ± 5%
5% Warp 216, Weft 222 ± 5%

Tearing Resistance

1% Warp 8.3, Weft 13.7 ± 5%
5% Warp 9.6, Weft 10.1 ± 5%

Fabric Stiffness

1% 54mm ± 5mm
5% 67mm ± 5mm

Care and Cleaning

General Care

Dusting with a feather duster is all that is required to keep your fabric looking good.

Stains

For the removal of dirt and grime, simply wipe fabric skins with a sponge soaked in lukewarm water. If marks are still visible, add a little detergent. Then dry gently with a clean cloth.

Solar Optical Guide

EVERVIEW PLUS 1%	SOLAR OPTICAL PROPERTIES			
	HEAT PROPERTIES			VISIBLE LIGHT PROPERTIES
COLOUR	TS	RS	AS	TL
MOMBASA	1	3	95	1
WHITE	13	73	14	1
YALUMBA	12	52	36	1
MOMBASA/MISTY GREY	1	8	90	1
SCHIST	1	4	94	1

EVERVIEW PLUS 5%	SOLAR OPTICAL PROPERTIES			
	HEAT PROPERTIES			VISIBLE LIGHT PROPERTIES
COLOUR	TS	RS	AS	TL
MOMBASA	6	4	90	6
SCHIST	7	4	89	7
MISTY GREY	10	15	75	8
FUNGI	16	22	62	13
SILVER PEARL	9	30	61	7
SILVER PEARL/MISTY GREY	11	22	67	9
COFFEE	8	7	85	8
MOMBASA/MISTY GREY	9	9	82	8
YALUMBA	19	48	33	15
WHITE	19	68	13	16
CHARDONNAY	15	34	51	11
THUNDERCLOUD	8	7	85	7
GRAVEL	6	5	89	6
SAND	17	39	44	9
CARAMEL	10	16	74	9
MOOD MOCHA	9	14	77	8
SORRENTO	7	8	85	6

Solar Optical Properties Guide

TS	Heat Transmittance (%)
RS	Heat Reflectance (%)
AS	Heat Absorbance (%)
TL	Light Transmittance (%)



Fire Retardancy Information

Independently tested to AS1530.2 and AS1530.3. Suitable for classes 1, 2 to 9(a) – (c) and 10 buildings as per BCA.

Everview Plus

Spread of Flame	Heat Evolved	Smoke Developed	Ignitability	Flammability
0	2	7	12	6